ELSEVIER

Journal of Organometallic Chemistry 527 (1996) 311–312

Journal of Organometallic Chemistry

Author Index of Volume 527

Adams, K.J., 283
Ahlers, W., 191
Aisa, A.M.A., 239
Akkerman, O.S., 1
Ang, S.-H., 15
Avis, M.W., 263

Baird, M.C., 7, 137
Beddows, C.J., 21
Bedford, R.B., 75
Béguin, A., 167
Benetollo, F., 173
Beringhelli, T., 215
Bertholdt, U., 203
Bickelhaupt, F., 1
Borisova, L., 295
Boys, D., 125

Cenini, S., 93
Chaloner, P.A., 75, 145
Chien, J.C.W., 71
Collin, J., 225
Contreras, R., 125
Cunningham, D., 21

Dai, M.C., 167
D'Alfonso, G., 215
Davies, S.E., 145
Demartin, F., 93
Dewa, S.Z., 75
Do, Y., 155
Domingos, A., 225
Duffy, N.W., 179

Ecker, A., 209
Ehleiter, Y., 209
Eisch, J.J., 301
Elsevier, C.J., 263
Erker, G., 191

Faller, J.W., 65
Foster, P., 71
Fox, T., 191
Francis, M.D., 291
Fröhlich, R., 191
Fujishige, M., 277
Fun, H.-K., 15

Gevorgyan, V., 295
Gillis, D.J., 7
Glidewell, C., 259
Gottlieb, H.E., 21
Green, M.L.H., 173

Hart, W.P., 43
Hasegawa, T., 287
Heinemann, F.W., 239
Herberhold, M., 203
Herrmann, W.A., 297
Herzog, U., 117
Hibbs, D.E., 291
Hitchcock, P.B., 75, 145, 305
Hogarth, G., 247
Hor, T.S.A., 133
Howell, J.A.S., 21
Hursthouse, M.B., 291

Jacob, K., 109
Jeremic, D., 7
Jones, C., 291

Keok, C.-A., 15
Kim, Y., 155
Koitabashi, R., 277
Koo, B.H., 155
Kuksis, I., 137

Laurenczy, G., 167
Lavender, M.H., 247
Lawless, G.A., 305
Lee, H.K., 133
Lehmann, S., 239
Li, S., 133
Looi, E.-S., 15
López, G., 75
Lukevics, E., 295

Ma, X., 301
Mabrouk, S.T., 43
Malik, K.M.A., 291
Manimaran, B., 83
Marziano, I., 305
Mathur, P., 29, 83
McAdam, C.J., 179
McArdle, P., 21
McGrath, T.D., 283
Merzweiler, K., 109
Moinet, C., 51
Momblona, F., 75
Mori, S., 277
Mosquera, M.E.G., 35

Nanno, T., 103
Nettle, A., 125
Nijbacker, T., 1
Nozaki, K., 103

Okada, F., 277
O'Leary, P.J., 21
Ordung, I., 163
Osborn, J.A., 65

Palmisano, G., 93
Panigati, M., 215
Pierre, F., 51
Pietzsch, C., 109
Polo, E., 173
Priermeier, T., 297
Prini, G., 173
Pu, L., 287

Quyoum, R., 7

Raimondi, P., 93
Rausch, M.D., 43, 71
Rheinwald, G., 167
Riera, V., 35
Robinson, B.H., 179
Roewer, G., 117
Roulet, R., 167
Royles, B.J.L., 259
Ruiz, J., 35

Sablong, R., 65
Santos, I., 225
Satyanarayana, C.V.V., 83
Schnöckel, H., 209
Scholz, J., 109
Schreuder Goedheijt, M., 1
Schwarze, B., 163
Sekar, P., 29
Sekiguchi, O., 277
Serrano, J.L., 75
Shukri, K., 247
Simpson, J., 179
Singh, M., 301
Sitzmann, H., 209
Smeets, W.J.J., 263
Smith, D.M., 259
Sostero, S., 173
Spek, A.L., 1, 263
Steinborn, D., 239
Stoeckli-Evans, H., 167
Süss-Fink, G., 167

Elsevier Science S.A.

Tabacchi, R., 167
Tajima, S., 277
Takaya, H., 103
Temme, B., 191
Teo, S.-B., 15
Teoh, S.-G., 15
Thomas, R.Ll., 283
Tollari, S., 93
Toupet, L., 51
Traverso, O., 173
Trifonov, A.A., 225
Tudoret, M.-J., 7
Üffing, C., 209
Valderrama, M., 125
Van der Boom, M.E., 263
Van de Weghe, P., 225
Varghese, B., 83
Veldman, N., 1
Vogel, A., 297
Wang, Q., 7
Wei, B., 133
Welch, A.J., 283
Weller, A.S., 283
Wilke, G., 301
Wolmershäuser, G., 209
Wrackmeyer, B., 163
Yates, P.C., 21

ELSEVIER

Journal of Organometallic Chemistry 527 (1996) 313–320

Journal of Organometallic Chemistry

Subject Index of Volume 527

Acyl
Diiron σ–π alkenyl complexes: crystal structures of *cis*-$[Fe_2(CO)_4(\mu\text{-}RC{\equiv}CH_2)(\mu\text{-}PPh_2)(\mu\text{-}dppm)]$, (R = Ph, CH_2OH), *trans*-$[Fe_2(CO)_4(\mu\text{-}HC{=}CHPh)(\mu\text{-}PPh_2)(\mu\text{-}dppm)]$ and the α,β-unsaturated acyl complex *trans*-$[Fe_2(CO)_4\{\mu\text{-}O{=}C\text{-}C(Ph){=}CH_2\}(\mu\text{-}PCy_2)(\mu\text{-}dppm)]$ (G. Hogarth, M.H. Lavender and K. Shukri), 247

Agostic
The formation and structures of the methyl-bridged complexes $Cp^*TiMe_2(\mu\text{-}Me)B(C_6F_5)_3$ and $[Cp^*TiMe_2(\mu\text{-}Me)TiMe_2Cp^*][MeB(C_6F_5)_3]$ (Q. Wang, D.J. Gillis, R. Quyoum, D. Jeremic, M.-J. Tudoret and M.C. Baird), 7

Alkene
Asymmetric hydroformylation catalyzed by an Rh(I)-(*R*,*S*)-BINAPHOS complex: substituent effects in olefins on the regioselectivity (K. Nozaki, T. Nanno and H. Takaya), 103
Synthesis and characterisation of platinum(0) complexes of propenoates: X-ray diffraction study of $[Pt(CH_2{=}CHCO_2CH_2Ph)(PPh_3)_2]$ (P.A. Chaloner, S.E. Davies and P.B. Hitchcock), 145

Alkenyl
Diiron σ–π alkenyl complexes: crystal structures of *cis*-$[Fe_2(CO)_4(\mu\text{-}RC{\equiv}CH_2)(\mu\text{-}PPh_2)(\mu\text{-}dppm)]$, (R = Ph, CH_2OH), *trans*-$[Fe_2(CO)_4(\mu\text{-}HC{=}CHPh)(\mu\text{-}PPh_2)(\mu\text{-}dppm)]$ and the α,β-unsaturated acyl complex *trans*-$[Fe_2(CO)_4\{\mu\text{-}O{=}C\text{-}C(Ph){=}CH_2\}(\mu\text{-}PCy_2)(\mu\text{-}dppm)]$ (G. Hogarth, M.H. Lavender and K. Shukri), 247

Aluminium compounds
Zwei strukturell verschiedenartige Stibocenium-Kationen (H. Sitzmann, Y. Ehleiter, G. Wolmershäuser, A. Ecker, C. Üffing und H. Schnöckel), 209

Aluminum–nickel bonds
Aluminum–nickel bonded intermediates in the Ziegler Nickel Effect: mechanistic support from catalyzed hydroalumination and carbalumination reactions (J.J. Eisch, X. Ma, M. Singh and G. Wilke), 301

Antimony
Synthesis and structural characterisation of the first uncoordinated phosphorus-substituted stibolyl anion (M.D. Francis, D.E. Hibbs, M.B. Hursthouse, C. Jones and K.M.A. Malik), 291

Antimony compounds
Zwei strukturell verschiedenartige Stibocenium-Kationen (H. Sitzmann, Y. Ehleiter, G. Wolmershäuser, A. Ecker, C. Üffing und H. Schnöckel), 209

Arene
Stereoelectronic effects on arene rotation: the structure and fluxionality of $[1,4\text{-}C_6H_4(SiMe_3)_2]Cr(CO)_2PPh_3$ and $[1,3,5\text{-}C_6H_3{}^tBu_3)Cr(CO)_2PPh_3$ (J.A.S. Howell, C.J. Beddows, P.J. O'Leary, P.C. Yates, P. McArdle, D. Cunningham and H.E. Gottlieb), 21
Synthesis, structure and hydrolysis of some $[(\eta^5\text{-cyclopentadienyl})(\eta^6\text{-arene})iron(II)][PF_6]$ complexes bearing an imine or a nitrone function in α-position of the arene ligand (F. Pierre, C. Moinet and L. Toupet), 51

Arsine
Anomalous reactivity of triphenylarsine and triarylphosphines of low basicity with $[Ir(cod)(py)_2][PF_6]$ and use of the complexes as precatalysts for imine hydrogenation (R.B. Bedford, P.A. Chaloner, S.Z. Dewa, G. López, P.B. Hitchcock, F. Momblona and J.L. Serrano), 75

Basic
Organylsilatranes from the reaction of tetraorganylsilanes with triethanolamine (V. Gevorgyan, L. Borisova and E. Lukevics), 295

B/E linked scan
Metastable ion study of organosilicon compounds. Part IX. $CH_3COOSi(CH_3)_3$ and $CF_3COOSi(CH_3)_3$ (S. Mori, F. Okada, O. Sekiguchi, M. Fujishige, R. Koitabashi and S. Tajima), 277

Betaine
Dynamic features of the zirconocene–boron–betaine complexes obtained by treatment of bis(alkynyl)zirconocenes with the tris(pentafluorophenyl)borane Lewis-acid (W. Ahlers, B. Temme, G. Erker, R. Fröhlich and T. Fox), 191

Bidentate bridging
Novel hydroxo bidentate carboxylate bridging in diorganotin(IV) carboxylate complex. Synthesis and crystal structure of μ-hydroxo-μ-trichloroacetato-*O*,*O'*-bis(trichloroacetato-*O*)-bis[dibutyltin(IV)], $Sn_2(C_4H_9)_4(O_2CCCl_3)_3(OH)$ (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and H.-K. Fun), 15

Bimetallic complexes
Synthesis and structure of a μ-(*E*)-vinylene-bis[dimethylglyoximato(1-)dimethylglyoximato(2-)-(triphenylphosphine)rhodate] complex: a vinylene-bridged dinuclear rhodium complex (D. Steinborn, A.M.A. Aisa, F.W. Heinemann and S. Lehmann), 239

Bis(indenyl)
Ansa-bis(indenyl)dimethylamido zirconocenes (A. Vogel, T. Priermeier and W.A. Herrmann), 297

Boron
Dynamic features of the zirconocene–boron–betaine complexes obtained by treatment of bis(alkynyl)zirconocenes with the tris(pentafluorophenyl)borane Lewis-acid (W. Ahlers, B. Temme, G. Erker, R. Fröhlich and T. Fox), 191

Carbalumination
Aluminum–nickel bonded intermediates in the Ziegler Nickel Effect: mechanistic support from catalyzed hydroalumination and carbalumination reactions (J.J. Eisch, X. Ma, M. Singh and G. Wilke), 301

Carbon monoxide
Asymmetric hydroformylation catalyzed by an Rh(I)-(*R*,*S*)-BINAPHOS complex: substituent effects in olefins on the regioselectivity (K. Nozaki, T. Nanno and H. Takaya), 103

Carbonyl
Facile complexation of 1,1′-bis(diphenylphosphino)ruthenocene (dppr) to ruthenium(II) — simple entry to stable bimetallic ruthenoruthenocenyl system (B. Wei, S. Li, H.K. Lee and T.S.A. Hor), 133
Stereoelectronic effects on arene rotation: the structure and fluxionality of $[1,4\text{-}C_6H_4(SiMe_3)_2]Cr(CO)_2PPh_3$ and $[1,3,5\text{-}C_6H_3{}^tBu_3)Cr(CO)_2PPh_3$ (J.A.S. Howell, C.J. Beddows, P.J. O'Leary, P.C. Yates, P. McArdle, D. Cunningham and H.E. Gottlieb), 21
Synthesis and redox chemistry of 1,1′-bis(diphenylphosphino)ferrocene derivatives of $R_2C_2Co_2(CO)_6$ ($R = MeO_2C$, CF_3) (C.J. McAdam, N.W. Duffy, B.H. Robinson and J. Simpson), 179
Synthesis and spectroscopic characterisation of $CpCoFe_2(CO)_5(\mu_3\text{-}Se)_2(\widehat{PP})$ [$\widehat{PP}$ = dppm or dppe]: crystal structure of $CpCoFe_2(CO)_5(\mu_3\text{-}Se)_2$(dppm) (P. Mathur and P. Sekar), 29
Synthesis, spectroscopic and structural characterisation of $(CO)_6Fe_2EE'\{\mu\text{-}C(H)(CH_3)\}_2$ and $(CO)_6Fe_2\{\mu\text{-}EC(H)(CH_3)E'\}$ (E, E′ = S, Se, Te) (P. Mathur, B. Manimaran, C.V.V. Satyanarayana and B. Varghese), 83
The reactivity of aza–diferra–thia tetrahedranes $Fe_2(CO)_6(\mu\text{-}SNR)$: reductive cleavage of the S–N bond and CO substitution (M. Herberhold and U. Bertholdt), 203
Carbonylation
Asymmetric hydroformylation catalyzed by an Rh(I)-(*R*,*S*)-BINAPHOS complex: substituent effects in olefins on the regioselectivity (K. Nozaki, T. Nanno and H. Takaya), 103
Carboxylate
Novel hydroxo bidentate carboxylate bridging in diorganotin(IV) carboxylate complex. Synthesis and crystal structure of μ-hydroxo-μ-trichloroacetato-*O*,*O*′-bis(trichloroacetato-*O*)-bis[dibutyltin(IV)], $Sn_2(C_4H_9)_4(O_2CCCl_3)_3(OH)$ (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and H.-K. Fun), 15
Catalysis
Organylsilatranes from the reaction of tetraorganylsilanes with triethanolamine (V. Gevorgyan, L. Borisova and E. Lukevics), 295
Catalysts
Synthesis and polymerization behavior of various substituted indenyl titanium complexes as catalysts for syndiotactic polystyrene (Y. Kim, B.H. Koo and Y. Do), 155
CD insertion
Cyclometallation of indole derivatives: cyclopalladation of gramine and 1-methyl gramine and CO insertion (S. Tollari, F. Demartin, S. Cenini, G. Palmisano and P. Raimondi), 93
Chalcogen
Synthesis, spectroscopic and structural characterisation of $(CO)_6Fe_2EE'\{\mu\text{-}C(H)(CH_3)\}_2$ and $(CO)_6Fe_2\{\mu\text{-}EC(H)(CH_3)E'\}$ (E, E′ = S, Se, Te) (P. Mathur, B. Manimaran, C.V.V. Satyanarayana and B. Varghese), 83
Chelate
Synthesis and X-ray crystal structure of 2-(methoxymethyl)phenyldicyclopentadienyltitanium (III) (M. Schreuder Goedheijt, T. Nijbacker, O.S. Akkerman, F. Bickelhaupt, N. Veldman and A.L. Spek), 1
Chirality
Asymmetric hydroformylation catalyzed by an Rh(I)-(*R*,*S*)-BINAPHOS complex: substituent effects in olefins on the regioselectivity (K. Nozaki, T. Nanno and H. Takaya), 103
Synthesis of lanthanide complexes coordinated by an asymmetric cyclopentadienyl ligand (A.A. Trifonov, P. Van de Weghe, J. Collin, A. Domingos and I. Santos), 225
Chiral poisoning
Chiral poisoning of *rac*-diop iridium complexes in the catalytic enantioselective hydrogenation of imines (R. Sablong, J.A. Osborn and J.W. Faller), 65
CH → Rh interactions
Reversible on/off switching of CH → Rh interactions in rhodathiaboranes with "anomalous" electron counts. Synthesis and molecular structure of $[(Ph_3P)_2N][1\text{-dppe-}1,2\text{-}closo\text{-}RhSB_9H_9]$ (K.J. Adams, T.D. McGrath, R.Ll. Thomas, A.S. Weller and A.J. Welch), 283
Chromium
Stereoelectronic effects on arene rotation: the structure and fluxionality of $[1,4\text{-}C_6H_4(SiMe_3)_2]Cr(CO)_2PPh_3$ and $[1,3,5\text{-}C_6H_3{}^tBu_3)Cr(CO)_2PPh_3$ (J.A.S. Howell, C.J. Beddows, P.J. O'Leary, P.C. Yates, P. McArdle, D. Cunningham and H.E. Gottlieb), 21
Cluster
Synthesis and spectroscopic characterisation of $CpCoFe_2(CO)_5(\mu_3\text{-}Se)_2(\widehat{PP})$ [$\widehat{PP}$ = dppm or dppe]: crystal structure of $CpCoFe_2(CO)_5(\mu_3\text{-}Se)_2$(dppm) (P. Mathur and P. Sekar), 29
Protonation reactions of the triangular cluster anion $[Re_3(\mu\text{-}H)_3(\mu\text{-}NC_5H_4)(CO)_{10}]^-$ containing an orthometalated pyridine molecule (T. Beringhelli, G. D'Alfonso and M. Panigati), 215
Cobalt
Synthesis and redox chemistry of 1,1′-bis(diphenylphosphino)ferrocene derivatives of $R_2C_2Co_2(CO)_6$ ($R = MeO_2C$, CF_3) (C.J. McAdam, N.W. Duffy, B.H. Robinson and J. Simpson), 179
Synthesis and spectroscopic characterisation of $CpCoFe_2(CO)_5(\mu_3\text{-}Se)_2(\widehat{PP})$ [$\widehat{PP}$ = dppm or dppe]: crystal structure of $CpCoFe_2(CO)_5(\mu_3\text{-}Se)_2$(dppm) (P. Mathur and P. Sekar), 29
The Friedel–Crafts reactivity of (η^5-cyclopentadienyl)dicarbonylcobalt (S.T. Mabrouk, W.P. Hart and M.D. Rausch), 43
Conformational chirality
Dynamic features of the zirconocene–boron–betaine complexes obtained by treatment of bis(alkynyl)zirconocenes with the tris(pentafluorophenyl)borane Lewis-acid (W. Ahlers, B. Temme, G. Erker, R. Fröhlich and T. Fox), 191
Crystal structure
Ansa-bis(indenyl)dimethylamido zirconocenes (A. Vogel, T. Priermeier and W.A. Herrmann), 297
Bis[2-(dimethylaminomethyl)ferrocenyl]-thalliumchlorid — ein heterobimetallischer Chelatkomplex (K. Jacob, J. Scholz, K. Merzweiler und C. Pietzsch), 109
Novel hydroxo bidentate carboxylate bridging in diorganotin(IV) carboxylate complex. Synthesis and crystal structure of μ-hydroxo-μ-trichloroacetato-*O*,*O*′-bis(trichloroacetato-*O*)-bis[dibutyltin(IV)], $Sn_2(C_4H_9)_4(O_2CCCl_3)_3(OH)$ (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and H.-K. Fun), 15
Synthesis and characterization of new homo-heterobinuclear platinum(II) complexes with dimethylphosphonate as bridging ligands. Crystal structure of $[(\eta^2\text{dppm})Pt\{\mu\text{-}P(O)(OMe)_2\}_2(\mu\text{-}I)PtMe_3]$ (R. Contreras, M. Valderrama, A. Nettle and D. Boys), 125
Synthesis and X-ray crystal structure of 2-(methoxymethyl)phenyldicyclopentadienyltitanium (III) (M. Schreuder Goedheijt, T. Nijbacker, O.S. Akkerman, F. Bickelhaupt, N. Veldman and A.L. Spek), 1
Synthesis, spectroscopic and structural characterisation of $(CO)_6Fe_2EE'\{\mu\text{-}C(H)(CH_3)\}_2$ and $(CO)_6Fe_2\{\mu\text{-}EC(H)(CH_3)E'\}$ (E, E′ = S, Se, Te) (P. Mathur, B. Manimaran, C.V.V. Satyanarayana and B. Varghese), 83
Crystal structures
Synthesis and structure of a μ-(*E*)-vinylene-bis[dimethylglyoximato(1-)dimethylglyoximato(2-)-(triphenylphosphine)rhodate] complex: a vinylene-bridged dinuclear rhodium complex (D. Steinborn, A.M.A. Aisa, F.W. Heinemann and S. Lehmann), 239
2 + 2 cycloadditions
Reactions of bis(iminophosphoranes) with palladium(II) dichloride: metal-induced tautomerization orthopalladation and unexpected platinum-assisted [2 + 2] cycloaddition of an aryl–nitrile with a

phosphinimine moiety (M.W. Avis, M.E. Van der Boom, C.J. Elsevier, W.J.J. Smeets and A.L. Spek), 263

Cyclohexyl
Structure and molecular dynamics of $Ru_2(CO)_6(\mu\text{-}PCy_2)_2$: an unusual case of cyclohexyl rearrangement (A. Béguin, M.C. Dai, G. Laurenczy, G. Rheinwald, R. Roulet, H. Stoeckli-Evans, G. Süss-Fink and R. Tabacchi), 167

Cyclopalladation
Cyclometallation of indole derivatives: cyclopalladation of gramine and 1-methyl gramine and CO insertion (S. Tollari, F. Demartin, S. Cenini, G. Palmisano and P. Raimondi), 93

Cyclopentadienyl
Synthesis of lanthanide complexes coordinated by an asymmetric cyclopentadienyl ligand (A.A. Trifonov, P. Van de Weghe, J. Collin, A. Domingos and I. Santos), 225
Synthesis, structure and hydrolysis of some [(η^5-cyclopentadienyl)(η^6-arene)iron(II)][PF_6] complexes bearing an imine or a nitrone function in α-position of the arene ligand (F. Pierre, C. Moinet and L. Toupet), 51
The Friedel–Crafts reactivity of (η^5-cyclopentadienyl)dicarbonylcobalt (S.T. Mabrouk, W.P. Hart and M.D. Rausch), 43

Diazoethane
Synthesis, spectroscopic and structural characterisation of $(CO)_6Fe_2EE'\{\mu\text{-}C(H)(CH_3)\}_2$ and $(CO)_6Fe_2\{\mu\text{-}EC(H)(CH_3)E'\}$ (E, E' = S, Se, Te) (P. Mathur, B. Manimaran, C.V.V. Satyanarayana and B. Varghese), 83

Dibutyltin(IV)
Novel hydroxo bidentate carboxylate bridging in diorganotin(IV) carboxylate complex. Synthesis and crystal structure of μ-hydroxo-μ-trichloroacetato-*O*,*O'*-bis(trichloroacetato-*O*)-bis[dibutyltin(IV)], $Sn_2(C_4H_9)_4(O_2CCCl_3)_3(OH)$ (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and H.-K. Fun), 15

Diorganotin (IV)
Novel hydroxo bidentate carboxylate bridging in diorganotin(IV) carboxylate complex. Synthesis and crystal structure of μ-hydroxo-μ-trichloroacetato-*O*,*O'*-bis(trichloroacetato-*O*)-bis[dibutyltin(IV)], $Sn_2(C_4H_9)_4(O_2CCCl_3)_3(OH)$ (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and H.-K. Fun), 15

Diphosphastibolyl
Synthesis and structural characterisation of the first uncoordinated phosphorus-substituted stibolyl anion (M.D. Francis, D.E. Hibbs, M.B. Hursthouse, C. Jones and K.M.A. Malik), 291

Diphosphine
A study of the reactivity of *trans*-[$RuCl_2(dppm)_2$] toward isocyanides (J. Ruiz, M.E.G. Mosquera and V. Riera), 35
Diiron $\sigma-\pi$ alkenyl complexes: crystal structures of *cis*-[$Fe_2(CO)_4(\mu\text{-}RC{\equiv}CH_2)(\mu\text{-}PPh_2)(\mu\text{-}dppm)$], (R = Ph, CH_2OH), *trans*-[$Fe_2(CO)_4(\mu\text{-}HC{=}CHPh)(\mu\text{-}PPh_2)(\mu\text{-}dppm)$] and the α,β-unsaturated acyl complex *trans*-[$Fe_2(CO)_4\{\mu\text{-}O{=}C\text{-}C(Ph){=}CH_2\}(\mu\text{-}PCy_2)(\mu\text{-}dppm)$] (G. Hogarth, M.H. Lavender and K. Shukri), 247
Synthesis and characterization of new homo-heterobinuclear platinum(II) complexes with dimethylphosphonate as bridging ligands. Crystal structure of [$(\eta^2$dppm)Pt$\{\mu\text{-}P(O)(OMe)_2\}_2$ (μ-I)$PtMe_3$] (R. Contreras, M. Valderrama, A. Nettle and D. Boys), 125

Diron
Diiron $\sigma-\pi$ alkenyl complexes: crystal structures of *cis*-[$Fe_2(CO)_4(\mu\text{-}RC{\equiv}CH_2)(\mu\text{-}PPh_2)(\mu\text{-}dppm)$], (R = Ph, CH_2OH), *trans*-[$Fe_2(CO)_4(\mu\text{-}HC{=}CHPh)(\mu\text{-}PPh_2)(\mu\text{-}dppm)$] and the α,β-unsaturated acyl complex *trans*-[$Fe_2(CO)_4\{\mu\text{-}O{=}C\text{-}C(Ph){=}CH_2\}(\mu\text{-}PCy_2)(\mu\text{-}dppm)$] (G. Hogarth, M.H. Lavender and K. Shukri), 247

D-labeling
Metastable ion study of organosilicon compounds. Part IX. $CH_3COOSi(CH_3)_3$ and $CF_3COOSi(CH_3)_3$ (S. Mori, F. Okada, O. Sekiguchi, M. Fujishige, R. Koitabashi and S. Tajima), 277

Early transition metals
Dynamic features of the zirconocene–boron–betaine complexes obtained by treatment of bis(alkynyl)zirconocenes with the tris(pentafluorophenyl)borane Lewis-acid (W. Ahlers, B. Temme, G. Erker, R. Fröhlich and T. Fox), 191

Ehrlich–Sachs reaction
Synthesis, structure and hydrolysis of some [(η^5-cyclopentadienyl)(η^6-arene)iron(II)][PF_6] complexes bearing an imine or a nitrone function in α-position of the arene ligand (F. Pierre, C. Moinet and L. Toupet), 51

Electrochemistry
Synthesis and redox chemistry of 1,1'-bis(diphenylphosphino)ferrocene derivatives of $R_2C_2Co_2(CO)_6$ (R = MeO_2C, CF_3) (C.J. McAdam, N.W. Duffy, B.H. Robinson and J. Simpson), 179

17-Electrons
Formation and chemistry of the transient 17-electron compounds $CpFe(CO)L^{\cdot}$ (L = PMe_2Ph, PPh_3) (I. Kuksis and M.C. Baird), 137

Enantioselective catalysis
Chiral poisoning of *rac*-diop iridium complexes in the catalytic enantioselective hydrogenation of imines (R. Sablong, J.A. Osborn and J.W. Faller), 65

F-compound
Metastable ion study of organosilicon compounds. Part IX. $CH_3COOSi(CH_3)_3$ and $CF_3COOSi(CH_3)_3$ (S. Mori, F. Okada, O. Sekiguchi, M. Fujishige, R. Koitabashi and S. Tajima), 277

Ferrocene
A simple high-yielding synthesis of ferrocene-1,'-diylbis-(methyltrimethylammonium iodide) (C. Glidewell, B.J.L. Royles and D.M. Smith), 259
Bis[2-(dimethylaminomethyl)ferrocenyl]-thalliumchlorid — ein heterobimetallischer Chelatkomplex (K. Jacob, J. Scholz, K. Merzweiler und C. Pietzsch), 109
The Friedel–Crafts reactivity of (η^5-cyclopentadienyl)dicarbonylcobalt (S.T. Mabrouk, W.P. Hart and M.D. Rausch), 43

Ferrocenylphosphine
Synthesis and redox chemistry of 1,1'-bis(diphenylphosphino)ferrocene derivatives of $R_2C_2Co_2(CO)_6$ (R = MeO_2C, CF_3) (C.J. McAdam, N.W. Duffy, B.H. Robinson and J. Simpson), 179

Fluxionality
Diiron $\sigma-\pi$ alkenyl complexes: crystal structures of *cis*-[$Fe_2(CO)_4(\mu\text{-}RC{\equiv}CH_2)(\mu\text{-}PPh_2)(\mu\text{-}dppm)$], (R = Ph, CH_2OH), *trans*-[$Fe_2(CO)_4(\mu\text{-}HC{=}CHPh)(\mu\text{-}PPh_2)(\mu\text{-}dppm)$] and the α,β-unsaturated acyl complex *trans*-[$Fe_2(CO)_4\{\mu\text{-}O{=}C\text{-}C(Ph){=}CH_2\}(\mu\text{-}PCy_2)(\mu\text{-}dppm)$] (G. Hogarth, M.H. Lavender and K. Shukri), 247
Stereoelectronic effects on arene rotation: the structure and fluxionality of $[1,4\text{-}C_6H_4(SiMe_3)_2]Cr(CO)_2PPh_3$ and $[1,3,5\text{-}C_6H_3{}^tBu_3)Cr(CO)_2PPh_3$ (J.A.S. Howell, C.J. Beddows, P.J. O'Leary, P.C. Yates, P. McArdle, D. Cunningham and H.E. Gottlieb), 21

Gramine
Cyclometallation of indole derivatives: cyclopalladation of gramine and 1-methyl gramine and CO insertion (S. Tollari, F. Demartin, S. Cenini, G. Palmisano and P. Raimondi), 93

Group 4
Synthesis and X-ray crystal structure of 2-(methoxymethyl)phenyldicyclopentadienyltitanium (III) (M. Schreuder Goedheijt, T. Nijbacker, O.S. Akkerman, F. Bickelhaupt, N. Veldman and A.L. Spek), 1
Group 8
Facile complexation of 1,1'-bis(diphenylphosphino)ruthenocene (dppr) to ruthenium(II) — simple entry to stable bimetallic ruthenoruthenocenyl system (B. Wei, S. Li, H.K. Lee and T.S.A. Hor), 133
Group 15
The molecular structure of 2,2',5,5'-tetraphenyl-1,1'-diphosphaferrocene (P.B. Hitchcock, G.A. Lawless and I. Marziano), 305

Heterobimetallics
Bis[2-(dimethylaminomethyl)ferrocenyl]-thalliumchlorid — ein heterobimetallischer Chelatkomplex (K. Jacob, J. Scholz, K. Merzweiler und C. Pietzsch), 109
Facile complexation of 1,1'-bis(diphenylphosphino)ruthenocene (dppr) to ruthenium(II) — simple entry to stable bimetallic ruthenoruthenocenyl system (B. Wei, S. Li, H.K. Lee and T.S.A. Hor), 133
Hydrides
Protonation reactions of the triangular cluster anion $[Re_3(\mu\text{-}H)_3(\mu\text{-}NC_5H_4)(CO)_{10}]^-$ containing an orthometalated pyridine molecule (T. Beringhelli, G. D'Alfonso and M. Panigati), 215
Hydroalumination
Aluminum–nickel bonded intermediates in the Ziegler Nickel Effect: mechanistic support from catalyzed hydroalumination and carbalumination reactions (J.J. Eisch, X. Ma, M. Singh and G. Wilke), 301
Hydroformylation
Asymmetric hydroformylation catalyzed by an Rh(I)-(*R,S*)-BINAPHOS complex: substituent effects in olefins on the regioselectivity (K. Nozaki, T. Nanno and H. Takaya), 103
Hydrogenation
Anomalous reactivity of triphenylarsine and triarylphosphines of low basicity with $[Ir(cod)(py)_2][PF_6]$ and use of the complexes as precatalysts for imine hydrogenation (R.B. Bedford, P.A. Chaloner, S.Z. Dewa, G. López, P.B. Hitchcock, F. Momblona and J.L. Serrano), 75
Base catalysed hydrogenation of methylbromooligosilanes with trialkylstannanes, identification of the first methylbromohydrogenoligosilanes (U. Herzog and G. Roewer), 117
Chiral poisoning of *rac*-diop iridium complexes in the catalytic enantioselective hydrogenation of imines (R. Sablong, J.A. Osborn and J.W. Faller), 65

Imine
Anomalous reactivity of triphenylarsine and triarylphosphines of low basicity with $[Ir(cod)(py)_2][PF_6]$ and use of the complexes as precatalysts for imine hydrogenation (R.B. Bedford, P.A. Chaloner, S.Z. Dewa, G. López, P.B. Hitchcock, F. Momblona and J.L. Serrano), 75
Synthesis, structure and hydrolysis of some [(η^5-cyclopentadienyl)(η^6-arene)iron(II)][PF_6] complexes bearing an imine or a nitrone function in α-position of the arene ligand (F. Pierre, C. Moinet and L. Toupet), 51
Indenyl
The synthesis and polymerization behavior of methoxy-substituted (indenyl)trichlorotitanium complexes (P. Foster, M.D. Rausch and J.C.W. Chien), 71
Indenyl derivatives
Synthesis and polymerization behavior of various substituted indenyl titanium complexes as catalysts for syndiotactic polystyrene (Y. Kim, B.H. Koo and Y. Do), 155
Intramolecular coordination
Synthesis and X-ray crystal structure of 2-(methoxymethyl)phenyldicyclopentadienyltitanium (III) (M. Schreuder Goedheijt, T. Nijbacker, O.S. Akkerman, F. Bickelhaupt, N. Veldman and A.L. Spek), 1
Iodomethane
A simple high-yielding synthesis of ferrocene-1,'-diylbis-(methyltrimethylammonium iodide) (C. Glidewell, B.J.L. Royles and D.M. Smith), 259
Iridium
Anomalous reactivity of triphenylarsine and triarylphosphines of low basicity with $[Ir(cod)(py)_2][PF_6]$ and use of the complexes as precatalysts for imine hydrogenation (R.B. Bedford, P.A. Chaloner, S.Z. Dewa, G. López, P.B. Hitchcock, F. Momblona and J.L. Serrano), 75
Chiral poisoning of *rac*-diop iridium complexes in the catalytic enantioselective hydrogenation of imines (R. Sablong, J.A. Osborn and J.W. Faller), 65
Iron
Formation and chemistry of the transient 17-electron compounds $CpFe(CO)L^{\cdot}$ ($L = PMe_2Ph$, PPh_3) (I. Kuksis and M.C. Baird), 137
Synthesis and spectroscopic characterisation of $CpCoFe_2(CO)_5(\mu_3\text{-}Se)_2(\widehat{PP})$ [$\widehat{PP}$ = dppm or dppe]: crystal structure of $CpCoFe_2(CO)_5(\mu_3\text{-}Se)_2$(dppm) (P. Mathur and P. Sekar), 29
Synthesis, spectroscopic and structural characterisation of $(CO)_6Fe_2EE'\{\mu\text{-}C(H)(CH_3)\}_2$ and $(CO)_6Fe_2\{\mu\text{-}EC(H)(CH_3)E'\}$ (E, E' = S, Se, Te) (P. Mathur, B. Manimaran, C.V.V. Satyanarayana and B. Varghese), 83
Synthesis, structure and hydrolysis of some [(η^5-cyclopentadienyl)(η^6-arene)iron(II)][PF_6] complexes bearing an imine or a nitrone function in α-position of the arene ligand (F. Pierre, C. Moinet and L. Toupet), 51
The reactivity of aza-diferra-thia tetrahedranes $Fe_2(CO)_6(\mu\text{-}SNR)$: reductive cleavage of the S–N bond and CO substitution (M. Herberhold and U. Bertholdt), 203
Isocyanide
The reactivity of aza-diferra-thia tetrahedranes $Fe_2(CO)_6(\mu\text{-}SNR)$: reductive cleavage of the S–N bond and CO substitution (M. Herberhold and U. Bertholdt), 203
Isocyanides
A study of the reactivity of *trans*-[$RuCl_2$(dppm)$_2$] toward isocyanides (J. Ruiz, M.E.G. Mosquera and V. Riera), 35

Lanthanum
Synthesis of lanthanide complexes coordinated by an asymmetric cyclopentadienyl ligand (A.A. Trifonov, P. Van de Weghe, J. Collin, A. Domingos and I. Santos), 225
^{7}Li NMR
Synthesis of N,C-dilithio-2-allylpyrrole and its solvent-controlled reactions with electrophiles (B. Wrackmeyer, I. Ordung and B. Schwarze), 163
Low coordination
Synthesis and structural characterisation of the first uncoordinated phosphorus-substituted stibolyl anion (M.D. Francis, D.E. Hibbs, M.B. Hursthouse, C. Jones and K.M.A. Malik), 291

Main group metallocenes
Zwei strukturell verschiedenartige Stibocenium-Kationen (H. Sitzmann, Y. Ehleiter, G. Wolmershäuser, A. Ecker, C. Üffing und H. Schnöckel), 209

Mass spectrometry
Metastable ion study of organosilicon compounds. Part IX. $CH_3COOSi(CH_3)_3$ and $CF_3COOSi(CH_3)_3$ (S. Mori, F. Okada, O. Sekiguchi, M. Fujishige, R. Koitabashi and S. Tajima), 277
Metal amide
Ansa-bis(indenyl)dimethylamido zirconocenes (A. Vogel, T. Priermeier and W.A. Herrmann), 297
Metal–enediyne complexes
The first water soluble metal–enediyne complexes: structural characterization of *trans*-$[Os(en)_2(\eta^2\text{-L})Br]^+Br^-$ (en = ethylenediamine, L = *cis*-1,6-bistrimethylsilyl-3-ene-1,5-diyne) (T. Hasegawa and L. Pu), 287
Metallo–aromatic
The Friedel–Crafts reactivity of (η^5-cyclopentadienyl)dicarbonylcobalt (S.T. Mabrouk, W.P. Hart and M.D. Rausch), 43
Metallocene
A sterically hindered bis-η-alkylcyclopentadienylzirconium compound as catalyst for the polymerisation of ethene and propene (E. Polo, M.L.H. Green, F. Benetollo, G. Prini, S. Sostero and O. Traverso), 173
Ansa-bis(indenyl)dimethylamido zirconocenes (A. Vogel, T. Priermeier and W.A. Herrmann), 297
ansa-Metallocene
Ansa-bis(indenyl)dimethylamido zirconocenes (A. Vogel, T. Priermeier and W.A. Herrmann), 297
Metallocenes
Dynamic features of the zirconocene–boron–betaine complexes obtained by treatment of bis(alkynyl)zirconocenes with the tris(pentafluorophenyl)borane Lewis-acid (W. Ahlers, B. Temme, G. Erker, R. Fröhlich and T. Fox), 191
1-Methyl gramine
Cyclometallation of indole derivatives: cyclopalladation of gramine and 1-methyl gramine and CO insertion (S. Tollari, F. Demartin, S. Cenini, G. Palmisano and P. Raimondi), 93
Molecular structure
The molecular structure of 2,2′,5,5′-tetraphenyl-1,1′-diphosphaferrocene (P.B. Hitchcock, G.A. Lawless and I. Marziano), 305
Mössbauer spectroscopy
Bis[2-(dimethylaminomethyl)ferrocenyl]-thalliumchlorid — ein heterobimetallischer Chelatkomplex (K. Jacob, J. Scholz, K. Merzweiler und C. Pietzsch), 109

N,C-dilithiation
Synthesis of N,C-dilithio-2-allylpyrrole and its solvent-controlled reactions with electrophiles (B. Wrackmeyer, I. Ordung and B. Schwarze), 163
Nickel effect
Aluminum–nickel bonded intermediates in the Ziegler Nickel Effect: mechanistic support from catalyzed hydroalumination and carbalumination reactions (J.J. Eisch, X. Ma, M. Singh and G. Wilke), 301
Nickel hydrides
Aluminum–nickel bonded intermediates in the Ziegler Nickel Effect: mechanistic support from catalyzed hydroalumination and carbalumination reactions (J.J. Eisch, X. Ma, M. Singh and G. Wilke), 301
Nitriles
Reactions of bis(iminophosphoranes) with palladium(II) dichloride: metal-induced tautomerization orthopalladation and unexpected platinum-assisted [2 + 2] cycloaddition of an aryl–nitrile with a phosphinimine moiety (M.W. Avis, M.E. Van der Boom, C.J. Elsevier, W.J.J. Smeets and A.L. Spek), 263
Nitrone
Synthesis, structure and hydrolysis of some [(η^5-cyclopentadienyl)(η^6-arene)iron(II)][PF_6] complexes bearing an imine or a nitrone function in α-position of the arene ligand (F. Pierre, C. Moinet and L. Toupet), 51
Nuclear magnetic resonance
Base catalysed hydrogenation of methylbromooligosilanes with trialkylstannanes, identification of the first methylbromohydrogenoligosilanes (U. Herzog and G. Roewer), 117
Structure and molecular dynamics of $Ru_2(CO)_6(\mu\text{-}PCy_2)_2$: an unusual case of cyclohexyl rearrangement (A. Béguin, M.C. Dai, G. Laurenczy, G. Rheinwald, R. Roulet, H. Stoeckli-Evans, G. Süss-Fink and R. Tabacchi), 167
Synthesis and characterisation of platinum(0) complexes of propenoates: X-ray diffraction study of [$Pt(CH_2{=}CHCO_2CH_2Ph)(PPh_3)_2$] (P.A. Chaloner, S.E. Davies and P.B. Hitchcock), 145
Nucleophilic
Organylsilatranes from the reaction of tetraorganylsilanes with triethanolamine (V. Gevorgyan, L. Borisova and E. Lukevics), 295

Olefin
The formation and structures of the methyl-bridged complexes $Cp^*TiMe_2(\mu\text{-}Me)B(C_6F_5)_3$ and $[Cp^*TiMe_2(\mu\text{-}Me)TiMe_2Cp^*][MeB(C_6F_5)_3]$ (Q. Wang, D.J. Gillis, R. Quyoum, D. Jeremic, M.-J. Tudoret and M.C. Baird), 7
Oligosilanes
Base catalysed hydrogenation of methylbromooligosilanes with trialkylstannanes, identification of the first methylbromohydrogenoligosilanes (U. Herzog and G. Roewer), 117
Organorhodoximes
Synthesis and structure of a μ-(*E*)-vinylene-bis[dimethylglyoximato(1-)dimethylglyoximato(2-)-(triphenylphosphine)rhodate] complex: a vinylene-bridged dinuclear rhodium complex (D. Steinborn, A.M.A. Aisa, F.W. Heinemann and S. Lehmann), 239
Orthometalation
Protonation reactions of the triangular cluster anion $[Re_3(\mu\text{-}H)_3(\mu\text{-}NC_5H_4)(CO)_{10}]^-$ containing an orthometalated pyridine molecule (T. Beringhelli, G. D'Alfonso and M. Panigati), 215

Palladium
Reactions of bis(iminophosphoranes) with palladium(II) dichloride: metal-induced tautomerization orthopalladation and unexpected platinum-assisted [2 + 2] cycloaddition of an aryl–nitrile with a phosphinimine moiety (M.W. Avis, M.E. Van der Boom, C.J. Elsevier, W.J.J. Smeets and A.L. Spek), 263
Phosphide
Diiron σ–π alkenyl complexes: crystal structures of *cis*-[$Fe_2(CO)_4(\mu\text{-}RC{\equiv}CH_2)(\mu\text{-}PPh_2)(\mu\text{-dppm})$], (R = Ph, CH_2OH), *trans*-[$Fe_2(CO)_4(\mu\text{-}HC{=}CHPh)(\mu\text{-}PPh_2)(\mu\text{-dppm})$] and the α,β-unsaturated acyl complex *trans*-[$Fe_2(CO)_4\{\mu\text{-}O{=}C\text{-}C(Ph){=}CH_2\}(\mu\text{-}PCy_2)(\mu\text{-dppm})$] (G. Hogarth, M.H. Lavender and K. Shukri), 247
Phosphine
Facile complexation of 1,1′-bis(diphenylphosphino)ruthenocene (dppr) to ruthenium(II) — simple entry to stable bimetallic ruthenoruthenocenyl system (B. Wei, S. Li, H.K. Lee and T.S.A. Hor), 133
Phosphinimines
Reactions of bis(iminophosphoranes) with palladium(II) dichloride: metal-induced tautomerization orthopalladation and unexpected platinum-assisted [2 + 2] cycloaddition of an aryl–nitrile with a phosphinimine moiety (M.W. Avis, M.E. Van der Boom, C.J. Elsevier, W.J.J. Smeets and A.L. Spek), 263

Phosphonate
Synthesis and characterization of new homo-heterobinuclear platinum(II) complexes with dimethylphosphonate as bridging ligands. Crystal structure of $[(\eta^2$dppm)Pt$\{\mu$-P(O)(OMe)$_2\}_2$ (μ-I)PtMe$_3$] (R. Contreras, M. Valderrama, A. Nettle and D. Boys), 125
Phosphorous
Synthesis and spectroscopic characterisation of $CpCoFe_2(CO)_5(\mu_3$-Se$)_2(\widehat{PP})$ [$\widehat{PP}$ = dppm or dppe]: crystal structure of $CpCoFe_2(CO)_5(\mu_3$-Se$)_2$(dppm) (P. Mathur and P. Sekar), 29
Phosphorus
Synthesis and structural characterisation of the first uncoordinated phosphorus-substituted stibolyl anion (M.D. Francis, D.E. Hibbs, M.B. Hursthouse, C. Jones and K.M.A. Malik), 291
Phospine
Stereoelectronic effects on arene rotation: the structure and fluxionality of [1,4-$C_6H_4(SiMe_3)_2$]$Cr(CO)_2PPh_3$ and [1,3,5-$C_6H_3{}^tBu_3$)$Cr(CO)_2PPh_3$ (J.A.S. Howell, C.J. Beddows, P.J. O'Leary, P.C. Yates, P. McArdle, D. Cunningham and H.E. Gottlieb), 21
Platinum
Reactions of bis(iminophosphoranes) with palladium(II) dichloride: metal-induced tautomerization orthopalladation and unexpected platinum-assisted [2 + 2] cycloaddition of an aryl–nitrile with a phosphinimine moiety (M.W. Avis, M.E. Van der Boom, C.J. Elsevier, W.J.J. Smeets and A.L. Spek), 263
Synthesis and characterisation of platinum(0) complexes of propenoates: X-ray diffraction study of [Pt(CH_2=$CHCO_2CH_2$-Ph)$(PPh_3)_2$] (P.A. Chaloner, S.E. Davies and P.B. Hitchcock), 145
Synthesis and characterization of new homo-heterobinuclear platinum(II) complexes with dimethylphosphonate as bridging ligands. Crystal structure of $[(\eta^2$dppm)Pt$\{\mu$-P(O)(OMe)$_2\}_2$ (μ-I)PtMe$_3$] (R. Contreras, M. Valderrama, A. Nettle and D. Boys), 125
Pnicogenium cations
Zwei strukturell verschiedenartige Stibocenium-Kationen (H. Sitzmann, Y. Ehleiter, G. Wolmershäuser, A. Ecker, C. Üffing und H. Schnöckel), 209
Polymerisation
A sterically hindered bis-η-alkylcyclopentadienylzirconium compound as catalyst for the polymerisation of ethene and propene (E. Polo, M.L.H. Green, F. Benetollo, G. Prini, S. Sostero and O. Traverso), 173
The formation and structures of the methyl-bridged complexes $Cp^*TiMe_2(\mu$-Me)$B(C_6F_5)_3$ and [$Cp^*TiMe_2(\mu$-Me)$TiMe_2Cp^*$][MeB$(C_6F_5)_3$] (Q. Wang, D.J. Gillis, R. Quyoum, D. Jeremic, M.-J. Tudoret and M.C. Baird), 7
The synthesis and polymerization behavior of methoxy-substituted (indenyl)trichlorotitanium complexes (P. Foster, M.D. Rausch and J.C.W. Chien), 71
Pyridine
Protonation reactions of the triangular cluster anion $[Re_3(\mu$-H$)_3(\mu$-$NC_5H_4)(CO)_{10}]^-$ containing an orthometalated pyridine molecule (T. Beringhelli, G. D'Alfonso and M. Panigati), 215
Pyrrole
Synthesis of N,C-dilithio-2-allylpyrrole and its solvent-controlled reactions with electrophiles (B. Wrackmeyer, I. Ordung and B. Schwarze), 163

Radicals
Formation and chemistry of the transient 17-electron compounds $CpFe(CO)L^\cdot$ (L = PMe_2Ph, PPh_3) (I. Kuksis and M.C. Baird), 137
Reversible switching
Reversible on/off switching of CH → Rh interactions in rhodathiaboranes with "anomalous" electron counts. Synthesis and molecular structure of [$(Ph_3P)_2N$][1-dppe-1,2-*closo*-$RhSB_9H_9$] (K.J. Adams, T.D. McGrath, R.Ll. Thomas, A.S. Weller and A.J. Welch), 283
Rhenium
Protonation reactions of the triangular cluster anion $[Re_3(\mu$-H$)_3(\mu$-$NC_5H_4)(CO)_{10}]^-$ containing an orthometalated pyridine molecule (T. Beringhelli, G. D'Alfonso and M. Panigati), 215
Rhodium
Asymmetric hydroformylation catalyzed by an Rh(I)-(*R*,*S*)-BINAPHOS complex: substituent effects in olefins on the regioselectivity (K. Nozaki, T. Nanno and H. Takaya), 103
Rhodium complexes
Synthesis and structure of a μ-(*E*)-vinylene-bis[dimethylglyoximato (1-)dimethylglyoximato(2-)-(triphenylphosphine)rhodate] complex: a vinylene-bridged dinuclear rhodium complex (D. Steinborn, A.M.A. Aisa, F.W. Heinemann and S. Lehmann), 239
Ruthenecene
Facile complexation of 1,1′-bis(diphenylphosphino)ruthenocene (dppr) to ruthenium(II) — simple entry to stable bimetallic ruthenoruthenocenyl system (B. Wei, S. Li, H.K. Lee and T.S.A. Hor), 133
Ruthenium
A study of the reactivity of *trans*-[$RuCl_2$(dppm)$_2$] toward isocyanides (J. Ruiz, M.E.G. Mosquera and V. Riera), 35
Facile complexation of 1,1′-bis(diphenylphosphino)ruthenocene (dppr) to ruthenium(II) — simple entry to stable bimetallic ruthenoruthenocenyl system (B. Wei, S. Li, H.K. Lee and T.S.A. Hor), 133
Structure and molecular dynamics of $Ru_2(CO)_6(\mu$-$PCy_2)_2$: an unusual case of cyclohexyl rearrangement (A. Béguin, M.C. Dai, G. Laurenczy, G. Rheinwald, R. Roulet, H. Stoeckli-Evans, G. Süss-Fink and R. Tabacchi), 167

Samarium
Synthesis of lanthanide complexes coordinated by an asymmetric cyclopentadienyl ligand (A.A. Trifonov, P. Van de Weghe, J. Collin, A. Domingos and I. Santos), 225
Sandwich compounds
Zwei strukturell verschiedenartige Stibocenium-Kationen (H. Sitzmann, Y. Ehleiter, G. Wolmershäuser, A. Ecker, C. Üffing und H. Schnöckel), 209
Selenium
Synthesis and spectroscopic characterisation of $CpCoFe_2(CO)_5(\mu_3$-Se$)_2(\widehat{PP})$ [$\widehat{PP}$ = dppm or dppe]: crystal structure of $CpCoFe_2(CO)_5(\mu_3$-Se$)_2$(dppm) (P. Mathur and P. Sekar), 29
Si-compound
Metastable ion study of organosilicon compounds. Part IX. $CH_3COOSi(CH_3)_3$ and $CF_3COOSi(CH_3)_3$ (S. Mori, F. Okada, O. Sekiguchi, M. Fujishige, R. Koitabashi and S. Tajima), 277
Silane
Base catalysed hydrogenation of methylbromooligosilanes with trialkylstannanes, identification of the first methylbromohydrogenoligosilanes (U. Herzog and G. Roewer), 117
Organylsilatranes from the reaction of tetraorganylsilanes with triethanolamine (V. Gevorgyan, L. Borisova and E. Lukevics), 295
Silatrane
Organylsilatranes from the reaction of tetraorganylsilanes with triethanolamine (V. Gevorgyan, L. Borisova and E. Lukevics), 295
Silicon
Metastable ion study of organosilicon compounds. Part IX. $CH_3COOSi(CH_3)_3$ and $CF_3COOSi(CH_3)_3$ (S. Mori, F. Okada, O. Sekiguchi, M. Fujishige, R. Koitabashi and S. Tajima), 277

Sodium phenoxide
A simple high-yielding synthesis of ferrocene-1,'-diylbis-(methyltrimethylammonium iodide) (C. Glidewell, B.J.L. Royles and D.M. Smith), 259
Stannanes
Base catalysed hydrogenation of methylbromooligosilanes with trialkylstannanes, identification of the first methylbromohydrogenoligosilanes (U. Herzog and G. Roewer), 117
Stibocenium cations
Zwei strukturell verschiedenartige Stibocenium-Kationen (H. Sitzmann, Y. Ehleiter, G. Wolmershäuser, A. Ecker, C. Üffing und H. Schnöckel), 209
Styrene
The synthesis and polymerization behavior of methoxy-substituted (indenyl)trichlorotitanium complexes (P. Foster, M.D. Rausch and J.C.W. Chien), 71
2-Substituted
Synthesis of N,C-dilithio-2-allylpyrrole and its solvent-controlled reactions with electrophiles (B. Wrackmeyer, I. Ordung and B. Schwarze), 163
Sulfur–nitrogen compounds
The reactivity of aza–diferra–thia tetrahedranes $Fe_2(CO)_6(\mu\text{-SNR})$: reductive cleavage of the S–N bond and CO substitution (M. Herberhold and U. Bertholdt), 203
Syndiotactic polystyrene
Synthesis and polymerization behavior of various substituted indenyl titanium complexes as catalysts for syndiotactic polystyrene (Y. Kim, B.H. Koo and Y. Do), 155
Synthesis
Reversible on/off switching of CH → Rh interactions in rhodathiaboranes with ''anomalous'' electron counts. Synthesis and molecular structure of $[(Ph_3P)_2N][1\text{-dppe-}1,2\text{-}closo\text{-}RhSB_9H_9]$ (K.J. Adams, T.D. McGrath, R.Ll. Thomas, A.S. Weller and A.J. Welch), 283

Tetrahedranes
The reactivity of aza–diferra–thia tetrahedranes $Fe_2(CO)_6(\mu\text{-SNR})$: reductive cleavage of the S–N bond and CO substitution (M. Herberhold and U. Bertholdt), 203
Thallium
Bis[2-(dimethylaminomethyl)ferrocenyl]-thalliumchlorid — ein heterobimetallischer Chelatkomplex (K. Jacob, J. Scholz, K. Merzweiler und C. Pietzsch), 109
Titanium
The formation and structures of the methyl-bridged complexes $Cp^*TiMe_2(\mu\text{-Me})B(C_6F_5)_3$ and $[Cp^*TiMe_2(\mu\text{-Me})TiMe_2Cp^*][MeB(C_6F_5)_3]$ (Q. Wang, D.J. Gillis, R. Quyoum, D. Jeremic, M.-J. Tudoret and M.C. Baird), 7
The synthesis and polymerization behavior of methoxy-substituted (indenyl)trichlorotitanium complexes (P. Foster, M.D. Rausch and J.C.W. Chien), 71
Titanium(III)
Synthesis and X-ray crystal structure of 2-(methoxymethyl)phenyldicyclopentadienyltitanium (III) (M. Schreuder Goedheijt, T. Nijbacker, O.S. Akkerman, F. Bickelhaupt, N. Veldman and A.L. Spek), 1
Titanium metallocene
Synthesis and polymerization behavior of various substituted indenyl titanium complexes as catalysts for syndiotactic polystyrene (Y. Kim, B.H. Koo and Y. Do), 155
Trichloroacetate
Novel hydroxo bidentate carboxylate bridging in diorganotin(IV) carboxylate complex. Synthesis and crystal structure of μ-hydroxo-μ-trichloroacetato-*O*,*O*'-bis(trichloroacetato-*O*)-bis[dibutyltin(IV)], $Sn_2(C_4H_9)_4(O_2CCCl_3)_3(OH)$ (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and H.-K. Fun), 15

Triethanolamine
Organylsilatranes from the reaction of tetraorganylsilanes with triethanolamine (V. Gevorgyan, L. Borisova and E. Lukevics), 295
Trimethylplatinum(IV) complex
Synthesis and characterization of new homo-heterobinuclear platinum(II) complexes with dimethylphosphonate as bridging ligands. Crystal structure of $[(\eta^2\text{dppm})Pt\{\mu\text{-P(O)(OMe)}_2\}_2(\mu\text{-I})PtMe_3]$ (R. Contreras, M. Valderrama, A. Nettle and D. Boys), 125

Vanadium
Bis[2-(dimethylaminomethyl)ferrocenyl]-thalliumchlorid — ein heterobimetallischer Chelatkomplex (K. Jacob, J. Scholz, K. Merzweiler und C. Pietzsch), 109
Vinylene-bridged complexes
Synthesis and structure of a μ-(*E*)-vinylene-bis[dimethylglyoximato (1-)dimethylglyoximato(2-)-(triphenylphosphine)rhodate] complex: a vinylene-bridged dinuclear rhodium complex (D. Steinborn, A.M.A. Aisa, F.W. Heinemann and S. Lehmann), 239

Weak ligands
Protonation reactions of the triangular cluster anion $[Re_3(\mu\text{-H})_3(\mu\text{-NC}_5H_4)(CO)_{10}]^-$ containing an orthometalated pyridine molecule (T. Beringhelli, G. D'Alfonso and M. Panigati), 215

X-ray diffraction
Anomalous reactivity of triphenylarsine and triarylphosphines of low basicity with $[Ir(cod)(py)_2][PF_6]$ and use of the complexes as precatalysts for imine hydrogenation (R.B. Bedford, P.A. Chaloner, S.Z. Dewa, G. López, P.B. Hitchcock, F. Momblona and J.L. Serrano), 75
Structure and molecular dynamics of $Ru_2(CO)_6(\mu\text{-PCy}_2)_2$: an unusual case of cyclohexyl rearrangement (A. Béguin, M.C. Dai, G. Laurenczy, G. Rheinwald, R. Roulet, H. Stoeckli-Evans, G. Süss-Fink and R. Tabacchi), 167
Synthesis and characterisation of platinum(0) complexes of propenoates: X-ray diffraction study of $[Pt(CH_2{=}CHCO_2CH_2\text{-}Ph)(PPh_3)_2]$ (P.A. Chaloner, S.E. Davies and P.B. Hitchcock), 145
The molecular structure of 2,2',5,5'-tetraphenyl-1,1'-diphosphaferrocene (P.B. Hitchcock, G.A. Lawless and I. Marziano), 305
X-ray structure
A sterically hindered bis-η-alkylcyclopentadienylzirconium compound as catalyst for the polymerisation of ethene and propene (E. Polo, M.L.H. Green, F. Benetollo, G. Prini, S. Sostero and O. Traverso), 173
Synthesis and redox chemistry of 1,1'-bis(diphenylphosphino)ferrocene derivatives of $R_2C_2Co_2(CO)_6$ ($R = MeO_2C$, CF_3) (C.J. McAdam, N.W. Duffy, B.H. Robinson and J. Simpson), 179

Ziegler–Natta catalyst
A sterically hindered bis-η-alkylcyclopentadienylzirconium compound as catalyst for the polymerisation of ethene and propene (E. Polo, M.L.H. Green, F. Benetollo, G. Prini, S. Sostero and O. Traverso), 173
Zirconium
A sterically hindered bis-η-alkylcyclopentadienylzirconium compound as catalyst for the polymerisation of ethene and propene (E. Polo, M.L.H. Green, F. Benetollo, G. Prini, S. Sostero and O. Traverso), 173
Ansa-bis(indenyl)dimethylamido zirconocenes (A. Vogel, T. Priermeier and W.A. Herrmann), 297

Zirconium–boron–betaine
Dynamic features of the zirconocene–boron–betaine complexes obtained by treatment of bis(alkynyl)zirconocenes with the tris(pentafluorophenyl)borane Lewis-acid (W. Ahlers, B. Temme, G. Erker, R. Fröhlich and T. Fox), 191

Book Review
Palladium Reagents and Catalysts: Innovation on Organic Synthesis, Jiro Tsuji (S. Caddick), 309